

18 June, 2007

STORE-SAFE
PO Box 75
LEICHHARDT NSW 2040
Fax: 9568 3313

Attn: Mr Grant Breeze

To Whom It May Concern:

**RE: STANDARD "GAS CYLINDER STORAGE CAGE" BY STORE-SAFE
SAFE WORKING LOAD OF NOMINATED LIFTING EYES (AT TOP OF
CAGE)
STRUCTURAL DESIGN CERTIFICATION – FOR N.S.W., QUEENSLAND,
VICTORIA, (AND OTHER STATES WHERE C.P.ENG IS ACCEPTED)**

This is to certify the following:

- That the structural design of the above elements has been checked by appropriately qualified engineers, for compliance with relevant Australian Standards, and for the ability to cater for expected loads and conditions.
- **That the safe working load of the cage is as follows:**

Item:	Total SWL (kg)
Container	80
Contents	1,000
Gross	1,080

- That the structural design complies specifically with the following:
 - Australian Standards – AS1170.1, 4100

The design is represented on the drawings by Store-Safe named as follows:

Gas Cage Assy (GasCage.dwg) – Issue 1, 14/06/07
 Gas Cage Door (GCDOOR.DWG) – Issue 1
 Gas Cage Floor (GCFLOOR.DWG) – Issue 1
 Gas Cage Roof (GCROOF.DWG) – Issue 2
 RHS 50x25x2.3 tabulated (RHS-12) – Issue 4, 31/05/07
 RHS 50x50x2.5tabulated (RHS-16) – Issue 4, 31/05/07
 RHS 152x102x4.9tabulated (RHS-22) – Issue 1
 Welded Mesh Wall (MESH02.DWG) – Issue 1
 Angle 50x50x5(ANGLE13.DWG) – Issue 1
 Plate 40 Lifting Eye (PLATE40.DWG) – Issue 1
 Plate 38 (PLATE38.DWG) – Issue 1

Note that this certification applies only when the containers are used in the following circumstances:


- All 4 lifting points are equally loaded, and any goods in the cage are evenly distributed.
- Minimum 20mm lifting pin or shackle is used on each lifting point.
- Strictly in accordance with all manufacturer's recommendations.
- Use and supervision by appropriately trained and qualified people and in accordance with all Workcover guidelines.

No assurances are given for other circumstances.

Note that the overall frame, connections of members and floor sheeting have not been checked and do not form part of this certification.

If you have any queries regarding this matter, please contact me.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'Wayne Taylor'. The signature is written in a cursive style with a long horizontal stroke at the end.

WAYNE TAYLOR BE (Hons I), MBA, CPEng
Chartered Professional Engineer / Director
RPEQ No. 4632, RBP (Victoria) No. EC16988