

# FLAMMABLE

Liquid Storage Cabinets



CONCEALED STAY-OPEN  
SEQUENTIAL SELF-  
CLOSING DOOR  
MECHANISM  
PATENT PENDING



**RIGHT DOOR STAYS OPEN  
FOR EASIER LOADING AND  
UNLOADING!  
7 LOCKING POSITIONS  
BETWEEN 20 – 90 DEGREES**



### Trafalgar range of safety cabinets:

Flammable Liquid | Corrosive Substance  
Toxic Substance | Forklift Gas Cylinder  
Organic Peroxide | Oxidising Agent  
Aerosol | Emergency Information  
Fire Hose Reel | Fire Extinguisher  
Fire Hydrant Booster | Fire Alarm Cabinet

# FLAMMABLE

Liquid Storage Cabinets

## Key Features & Benefits

**Trafalgar** is a long established and privately owned Australian company whose name is synonymous with the supply of hazardous chemical storage cabinets. Trafalgar has been making safety cabinets for over 50 years and will continue to do so into the future. We are proud to be fighting hard to keep manufacturing alive in Australia and competing against cheap and inferior imported products. From our manufacturing plant in Sydney's west, Trafalgar's range of **Flammable Liquid Storage Cabinets** are all locally made, built in accordance with Australian Standards and come in a range of sizes. A full range of spare parts, including additional shelves and closing mechanisms are available.



### Flammable Liquid Storage Cabinets

#### SUITABLE FOR SAFE STORAGE OF

- Petrol and petroleum derivatives
- Adhesives
- Printing inks and solvents
- Paints and solvents
- Any Class 3 liquids

All cabinets comply with **AS 1940-2017** as follows:-

1. Each cabinet is marked with the name and address of the manufacturer.
2. The maximum storage capacity.
3. A Class 3 dangerous goods label with sides of a least 250mm nominal.
4. A sign bearing the words "NO SMOKING, NO IGNITION SOURCES WITHIN 3M".

**Trafalgar has the expertise and capabilities to custom manufacture**

**safety cabinets.** Contact us to discuss your specific requirements.

# FLAMMABLE

## Liquid Storage Cabinets

# Product Overview

Powder coating inside and out, providing a hardwearing finish.


Danger alert sign indicating specific hazardous substances stored in cabinets.

Ventilation port, measuring 55mm in diameter.

Fully welded 150mm deep liquid tight sump.

Round corners on door.

Internal shelf brackets that fully interlock with shelves.



Fully adjustable galvanised shelves included, perforated for leakages and to permit free air flow. Easily replaced if damaged. Additional shelving available for purchase.



Recessed handle with key lock. Two keys supplied.



Concealed self-closing door mechanism for more durability and usable space. Patent pending self closing sequential door mechanism on double door cabinets allows for right door to stay open at 7 locking positions between 20 – 90° for easier loading and unloading.



Three point self latching door mechanism.



1.1mm thick double skin wall construction, with 40mm air gap between walls to provide thermal insulation.

Ventilation port, measuring 55mm in diameter.

Continuous piano hinges ensuring smooth closure of door.

Full instructions on usage of the cabinet attached to the inside of the door.

Built in ground connector.



Removable forklift channels



# FLAMMABLE

Liquid Storage Cabinets

# Ordering Information

## FLAMMABLE LIQUID STORAGE CABINETS

Capacity (L)	30	60	100	160	250
Capacity (Units)	1 x 20L or 6 x 2.5L Tins	2 x 20L or 12 x 2.5L Tins	3 x 20L or 15 x 2.5L Tins	6 x 20L Drums	9 x 20L Drums
Part Number	TCFLS30L	TCFLS60L	TCFLS100L	TCFLS160L	TCFLS250L
Shelves	1	2	1	2	3
External Height (mm)	805	1070	810	1295	1830
External Width (mm)	520	520	935	1115	1115
External Depth (mm)	475	475	680	525	525
Internal Height (mm)	535	800	560	1045	1580
Internal Width (mm)	425	425	835	1015	1015
Internal Depth (mm)	375	375	530	375	375
Weight (kg)	53	62	100	138	187



30L



60L



100L



160L



250L

# FLAMMABLE

Liquid Storage Cabinets

# Ordering Information

FLAMMABLE LIQUID STORAGE CABINETS				
Capacity (L)	350	425	205 Vertical Drum	250 Economy
Capacity (Units)	12 x 20L Drums	16 x 20L Drums & 20 x 2.5L tins *	1 x Vertical Drum	12 x 20L Drums
Part Number	TCFLS350L	TCFLS425L	TCFLS205LVD	TCFLS250LE
Shelves	3	3	N/A. Comes with roller base	3
External Height (mm)	1830	1780	1830	1830
External Width (mm)	1435	1380	840	840
External Depth (mm)	630	760	840	840
Internal Height (mm)	1580	1400	1560	1580
Internal Width (mm)	1335	1285	740	740
Internal Depth (mm)	485	660	730	730
Weight (kg)	230	265	200	200

\* NOTE: The 425L can also be used to hold 2 x 205L drums (1 shelf).



350L



425L



205LVD



250LE

Trafalgar reserves the right to change specifications without notice. Please check with your supplier at the time of order. The information contained in this brochure was correct at the time of print. E&OE. Published 16.12.2019